

Knürr Office Pedestals

Premium in every Detail



■ Robust and easy to clean surfaces



■ Locking mechanism



■ Storage compartment



■ Locking mechanism



Available in ESD* version



■ Softclose



■ Casters




■ Robust pull-out drawers



■ Segment bow handle



*Electrostatic discharge



Configure to your needs

- Useful addition to the control room consoles
- Safe storage of business and private documents and items
- Creates order at each workstation
- Made to your demand
- Soft close drawers



- Robust
- Easy to clean
- Scratch resistant
- ABS edge veneers all around
- Drawers with dividers
- Segment bow handles, matt nickel plated

Knürr Office pedestals

Order system

Office pedestal Technical data

- Wooden bonded main units
- Drawer fronts with bow segment handle 160mm
- Double-wheel casters diameter 37mm, mounted with steel plate
- 1/2/3 OU partial extension, 6 OU full extension
- Container 1/3/6 with hanging file-folder frame and counter weight
- Bonded main unit
- All telescopic slides enclosed
- Drawer catch
- Central locking system with exchangeable cylinder
- One folding key, one regular key

Height units

- 1 OU (50 mm) Storage drawer
- 2 OU (100 mm) Drawer half pull
- 3 OU (150 mm) Drawer full pull
- 6 OU (300 mm) Drawer full pull

Drawer unit model:

- each storage drawer (1 OU) plus;
 - 3x150 mm (3x3 OU)
 or,
 - 1x150 mm, 1x300 mm (3 OU+6 OU)
 or,
 - 2x100 mm, 1x150 mm (2x2 OU+3 OU)
- At 300 mm with suspension frame

Load rating

- 400 N per twin swivel castor

Material / finish

- Main unit and top cover: Three-layer particle board, FP/Y E1 version, directly coated, fire protection class B2
- Drawer tray: Sheet steel in black

Technical data

- Drawer front from laminated particle board
- Segment bow handle: Cast metal
- ESD version (color .7)
- Standard version (color .1, .5, .8 and .9)

ESD version

- Main unit and top cover, conductive
- Drawer trims in wood version, three-layer particle board FP/Y E1 version
- Directly coated, fire protection class B2
- Requirements in acc. with EN 61340 and EN 438
- **Trials/tests in acc. with** IEC 61340-5-1, EN 438 T1 + T2

Colour combination

Final digit of order number .1:

- Main unit, top cover and drawer front: RAL 7035 light grey
- Segment bow handle: Matt nickel plated

Final digit of order number .5:

- Main unit and top cover: RAL 7021 black-grey
- Drawer front: beech décor

Segment bow handle: Matt nickel plated
Final digit of order number .7 / ESD-Version:

- Main unit, top cover and drawer front: RAL 7035 light grey
- Segment bow handle: Matt nickel plated
Final digit of order number .8:
- Main unit and top cover: RAL 7021 black-grey
- Drawer front: beech décor
- Segment bow handle: Matt nickel plated
Final digit of order number .9:
- Main unit, top cover and drawer front: RAL 7035 light grey
- Segment bow handle: Matt nickel plated

Standards

- Main unit and top cover: DIN 68765
- EN 438 for high pressure laminate

On request:

- Containers with different locks and master key
- Other handles and surfaces available

Supply schedule

- 1 mobile office pedestal

How supplied

- Assembled

W	H	D	Model	Order no.	UP
435	566	600	1/3x3 OU	00.321.550.x	1 unit
435	566	600	1/3/6 OU	00.321.551.x	1 unit
435	566	800	1/3x3 OU	00.321.552.x	1 unit
435	566	800	1/3/6 OU	00.321.553.x	1 unit
435	466	600	1/2x2/3 OU	00.321.554.x	1 unit

Dimensions in mm: W= Width
H = Height
D = Depth
OU = Office unit (50 mm)
FH = Folder height, min. 325 mm / 12,8"
Replace „x“ with the number of your color choice



8 OU mobile office pedestal in version .9



MOB00219

Inclined Tray Set

- For clear and transparent storage of forms and papers in drawers
- With depth 600, up to 5 sections
- With depth 800, up to 7 sections

Material
Plastic

Colour
Black, not ESD


Supply schedule
1 Tray section

Order no.	UP
00.320.539.9	1 unit



ELI00270

Metal Subdivider for Drawers



Material
Plastic

Finish
Black

Note
Subdivisions DIN A 5/DIN A 6 only in conjunction with DIN A 4 divider

Supply schedule
1 unit

DAC00006

Model	ESD	Order no.	UP
DIN A 4		00.320.538.9	1 unit
DIN A 5		00.320.537.9	1 unit
DIN A 6		00.320.536.9	1 unit
DIN A 4	•	00.320.538.7	1 unit
DIN A 5	•	00.320.537.7	1 unit
DIN A 6	•	00.320.536.7	1 unit



1/3/6 OU mobile office pedestal in version .1

1/3x3 OU mobile office pedestal in version .1

