Axia® Vision 24/7

✓ EN-1335*

√ IEC61340 (ESD)

The Axia® Vision is a 24 hour office chair for primary use in call centers, dealing rooms and receptions of hospitals or police stations. Also ideal for deluxe office environments. This chair combines elegance with robustness and provides optimal support.





✓ BS-5459*

✓ NPR-1813

✓ EPD, ISO 14025

Specifications of the Axia® Vision 24/7 black

	Adjustable range		
1	- -	Seat height	41 - 55 cm
2	ָּבָּר .	Back height	6 cm
3	ئے ۔	Seat depth	38 - 48 cm
4		Back angle	15°
5		Seat angle	+5°14°
6	<u>_</u>	Counter-pressure (weight setting)	adjustable to weight
7	A V	Armrest height	11 cm
8	4	Armrest width / depth	36 - 58 / 4 cm



Standard version
Extra high back 65 x 48 x 8 cm (h x w x t)
XL seat cushion 50 x 48 x 8 cm (l x w x t)
Heavy duty G mechanism for 24/7 use
Multi-armrests, black coated (ON-8K-ZW)
Gas lift 40 - 55 cm (ON-4V)
Ø 71 cm base, black coated
Ø 65 mm castors, soft and hard floor

Composition			
Steel	26,4%	Foam	9,7%
Aluminium	39,9%	Textile	1,6%
Polyamide	5%	Other	2,1%
Polyprop	15,3%	Total	100%

Weight = 21,5 kg (headrest +1 kg)

Recyclat = 56% (89% recyclable)

CO₂-equivalent = 79,8 kg

G mechanism		
Heavy seat tilt gas lift (1500 nM)		
Heavy duty gas lift controller		
Heavy duty adjustment spindle block		
Spindle restrictor		
Heavy duty lever		
Aluminum backframe		
i up to 170 kg		

Options: (+)

- Adjustable headrest with protection cover
- size: 15 x 25 cm (l x w)
- adjustability: 15 cm / 6 cm (h / d);
- position: 63 85 cm (top of back till middle of headrest)
- Hygienic cloths for headrest
- Coathanger (black)
- Pelvic support pump (1 or 2; max. 4 cm extra width)
- Holster protect fabric/leather protection
- Contrasting stiches
- Multi-XL or Vision armrests, black coated
- Axia Smart Active with Duration Coach app
- Gas lifts for 40-100 cm seat height
- Foot ring Ø 47,5 cm
- Castors soft/hard floors, free-wheeling/unloaded braking
- ESD Version (only without headrest)







Specifications of the Axia® Vision 24/7 alu polished

Adjustable range			
1	- -	Seat height	41 - 55 cm
2	ָּבָּ ,	Back height	6 cm
3	ئے	Seat depth	38 - 48 cm
4		Back angle	15°
5		Seat angle	+5°14°
6	, T	Counter-pressure (weight setting)	adjustable to weight
7	*	Armrest height	11 cm
8	4	Armrest width / depth	36 - 58 / 4 cm





Standard version
Extra high back 65 x 48 x 8 cm (h x w x t)
XL seat cushion 50 x 48 x 8 cm (l x w x t)
Heavy duty G mechanism for 24/7 use
Multi-armrests, alu polished (ON-8K-AP)
Gas lift 40 - 55 cm (ON-4V)
Ø 71 cm base, alu polished
Ø 65 mm castors, soft and hard floor

Composition			
Steel	26,4%	Foam	9,7%
Aluminium	39,9%	Textile	1,6%
Polyamide	5%	Other	2,1%
Polyprop	15,3%	Total	100%

Weight = 21,5 kg (headrest +1 kg)

Recyclat = 56% (89% recyclable)

CO₂-equivalent = 79,8 kg

G mechanism		
Heavy seat tilt gas lift (1500 nM)		
Heavy duty gas lift controller		
Heavy duty adjustment spindle block		
Spindle restrictor		
Heavy duty lever		
Aluminum backframe		
i, up to 170 kg		

Options: (+)

- Adjustable headrest with protection cover
- size: 15 x 25 cm (l x w)
- adjustability: 15 cm / 6 cm (h / d);
- position: 63 85 cm (top of back till middle of headrest)
- Hygienic cloths for headrest
- Coathanger (black)
- Pelvic support pump (1 or 2; max. 4 cm extra width)
- Holster protect fabric/leather protection
- Contrasting stiches
- Multi-XL or Vision armrests, alu polished
- Axia Smart Active with Duration Coach app
- Gas lifts for 40-100 cm seat height
- Foot ring Ø 47,5 cm
- Castors soft/hard floors, free-wheeling/unloaded braking
- ESD Version (only without headrest)





