



**knürr**  
World of control rooms

# Control Room Solutions Book

2025 / V1



# OFFICE PEDESTALS

239 to 244



# Knürr Office Pedestals


Premium in every Detail



\*Electrostatic discharge

## CONFIGURE TO YOUR NEEDS

- Useful addition to the control room consoles
- Safe storage of business and private documents and items
- Creates order at each workstation
- Made to your demand
- Soft close drawers



- Robust
- Easy to clean

- Scratch resistant
- ABS edge veneers all around

- Drawers with dividers
- Segment bow handles, matt nickel plated

## Office pedestal Technical data

- Wooden bonded main units
  - Drawer fronts with bow segment handle 160mm
  - Double-wheel casters diameter 37mm, mounted with steel plate
  - 1/2/3 OU partial extension, 6 OU full extension
  - Container 1/3/6 with hanging file-folder frame and counter weight
  - Bonded main unit
  - All telescopic slides enclosed
  - Drawer catch
  - Central locking system with exchangeable cylinder
  - One folding key, one regular key
- **Height units**
    - 1 OU (50 mm) Storage drawer
    - 2 OU (100 mm) Drawer half pull
    - 3 OU (150 mm) Drawer full pull
    - 6 OU (300 mm) Drawer full pull
  - **Drawer unit model:**
    - each storage drawer (1 OU) plus:
      - 3x150 mm (3x3 OU)
      - or,
      - 1x150 mm, 1x300 mm (3 OU+6 OU)
      - or,
      - 2x100 mm, 1x150 mm (2x2 OU+3 OU)
    - At 300 mm with suspension frame
  - **Load rating**
    - 400 N per twin swivel castor
  - **Material / finish**
    - Main unit and top cover: Three-layer particle board, FP/Y E1 version, directly coated, fire protection class B2
    - Drawer tray: Sheet steel in black
  - **Technical data**
    - Drawer front from laminated particle board
- Segment bow handle: Cast metal
  - ESD version (color .7)
  - Standard version (color .1, .5, .8 and .9)
  - **ESD version**
    - Main unit and top cover, conductive
    - Drawer trims in wood version, three-layer particle board FP/Y E1 version Directly coated, fire protection class B2
    - Requirements in acc. with EN 61340 and EN 438
    - **Trials/tests in acc. with** IEC 61340-5-1, EN 438 T1 + T2
  - **Colour combination**
    - Final digit of order number .1:**
      - Main unit, top cover and drawer front: RAL 7035 light grey
      - Segment bow handle: Matt nickel plated
    - Final digit of order number .5:**
      - Main unit and top cover: RAL 7021 black-grey
      - Drawer front: beech décor
      - Segment bow handle: Matt nickel plated
    - Final digit of order number .7 / ESD-Version:**
      - Main unit, top cover and drawer front: RAL 7035 light grey
      - Segment bow handle: Matt nickel plated
    - Final digit of order number .8:**
      - Main unit and top cover: RAL 7021 black-grey
      - Drawer front: RAL 7012 basalt grey
      - Segment bow handle: Matt nickel plated
    - Final digit of order number .9:**
      - Main unit, top cover and drawer front: RAL 7021 black-grey
      - Segment bow handle: Matt nickel plated
  - **Final digit of order number .B:**
    - Body and cover plate : RAL 9006 White aluminum
    - Front panels: Nelson Oak
    - Segmented bow handles: matt nickel plated

### Final digit of order number .C:

- Body and cover plate : RAL 9006 White aluminum
- Front panels: Pine Black
- Segmented bow handles: matt nickel plated

### Final digit of order number .E:

- Body and cover plate : RAL 9006 White aluminum
- Front panels: Beech wood design
- Segmented bow handles: matt nickel plated

### Final digit of order number .F:

- Body and cover plate : RAL 9006 White aluminum
- Front panels: Maple wood design
- Segmented bow handles: matt nickel plated

### Final digit of order number .H:

- Body and cover plate : RAL 9006 White aluminum
- Front panels: RAL 9006 White aluminum
- Segmented bow handles: matt nickel plated

### Standards

- Main unit and top cover: DIN 68765
- EN 438 for high pressure laminate

### On request:

- Containers with different locks and master key
- Other handles and surfaces available

### Supply schedule

- 1 mobile office pedestal



8 OU mobile office pedestal in version .9



9 OU mobile office pedestal in version .H

W	H	D	Model	Order-no.	UP
435	516	500	1/2/2x3 OU Nelson Oak	00.321.560.B	1 unit
435	516	500	1/2/2x3 OU Pine Black	00.321.560.C	1 unit
435	516	500	1/2/2x3 OU Beech	00.321.560.E	1 unit
435	516	500	1/2/2x3 OU Maple	00.321.560.F	1 unit
435	516	500	1/2/2x3 OU RAL9006 White aluminum	00.321.560.H	1 unit
435	566	600	1/3x3 OU	00.321.550.x	1 unit
435	566	600	1/3/6 OU	00.321.551.x	1 unit
435	466	600	1/2x2/3 OU	00.321.554.x	1 unit
435	566	800	1/3x3 OU	00.321.552.x	1 unit
435	566	800	1/3/6 OU	00.321.553.x	1 unit


Stop bracket for mobile drawer unit  
(only for Knürr Ergocon®)      **04.501.001.7**      1 unit

**Dimensions in mm:** W = Width  
H = Height  
D = Depth  
OU = Office unit (50 mm)  
FH = Folder height, min. 325 mm / 12.8"

Replace „x“ with the number of your color choice

## Inclined Tray Set

- For clear and transparent storage of forms and papers in drawers
  - With depth 600, up to 5 sections
  - With depth 800, up to 7 sections
- **Material**
    - Plastic
  - **Colour**
    - Black, not ESD
  - **Supply schedule**
    - 1 Tray section




MOB00219

Order-no.	UP
00.320.539.9	1 unit

## Subdivider for Drawers

- **Material**
  - Plastic
- **Finish**
  - Black
- **Note**
  - Subdivisions DIN A 5/DIN A 6 only in conjunction with DIN A 4 divider
- **Supply schedule**
  - 1 unit



ELI00270


DAC00006

Model	ESD	Order-no.	UP
DIN A 4		00.320.538.9	1 unit
DIN A 5		00.320.537.9	1 unit
DIN A 6		00.320.536.9	1 unit
DIN A 4	•	00.320.538.7	1 unit
DIN A 5	•	00.320.537.7	1 unit
DIN A 6	•	00.320.536.7	1 unit



1/3/6 OU mobile office pedestal in version .1

1/3x3 OU mobile office pedestal in version .1



## OFFICE PEDESTALS



## STANDARD WARRANTY



**12 months** statutory warranty within the scope of the published General Terms and Conditions.

<https://www.knuerr-consoles.com/en/imprint/>

### Service Benefits:

- Helpdesk availability during regular office hours
- Spare parts after return for repair by Knürr
- On-site exchange and repair on request

## ESSENTIAL CARE



Warranty extension to **24 months** per console table.

Statutory warranty within the scope of the published General Terms and Conditions.

<https://www.knuerr-consoles.com/en/imprint/>

### Service Benefits:

- Helpdesk availability during regular office hours
- Spare parts free of charge in advance
- On-site replacement and repair by agreement

## FULL CARE



Warranty extension to **5 years** per console table.

<https://www.knuerr-consoles.com/en/imprint/>

### Service Benefits:

- Helpdesk Availability during regular office hours
- On-site replacement and repair by agreement
- Preventive service: Annual maintenance by Knürr
  - System diagnosis and software update if necessary
  - Check of the entire lifting mechanism
  - Check of all cables and plug connections of the console table
  - Replacement of defective components within the scope of intended use
  - Creation of a maintenance protocol

## Ergonomically designed products and solutions from a single source

**Knürr** is worldwide known as competent and reliable partner for holistic control room solutions and mobile equipment carrier. The ergonomically designed products are internationally in use and convince in demanding 24h-Mission-Critical Control Room environment of multiple industrial sectors.

Learn more about Knürr solutions and services at [www.knuerr-consoles.com](http://www.knuerr-consoles.com).

### Knürr GmbH

Mariakirchener Straße 38  
94424 Arnstorf  
Germany  
T +49 8723 28 0  
F +49 8723 28 138  
info@knuerr.com  
[www.knuerr-consoles.com](http://www.knuerr-consoles.com)







[knuerr-panels.com](https://knuerr-panels.com) | Knürr GmbH, Mariakirchener Straße 38, 94424 Arnstorf, Germany ID-Nr. DE 363797731

© 2025 Knürr GmbH. All rights reserved. Knürr® and the Knürr logo are trademarks or registered trademarks of Knürr GmbH. All other names and logos referred to are trade names, trademarks or registered trademarks of their respective owners. While every precaution has been taken to ensure accuracy and completeness herein, Knürr GmbH assumes no responsibility, and disclaims all liability, for damages resulting from use of this information or for any errors or omissions. Specifications are subject to change without notice.